

*Let Us*

Show you our **fastenings** range



[summitsteel.co.nz](http://summitsteel.co.nz)



Also available for download  
in our **Wire Fencing** and  
**Reinforcing** range.



# ABOUT SUMMIT STEEL & WIRE



Summit Steel & Wire is the product manufacturing and distribution business within the Euro Corporation Group. We specialise in Reinforcing Steel, Wire Fencing and Nail products.

The Summit Steel & Wire name represents our commitment in striving to be the best in our industry. We have a fantastic team of people who really make the difference and whilst we may not climb mountains every day, metaphorically this is exactly what we do to ensure you get your order on time, every time. Summit Steel & Wire is both representative of who we are and what we do.

We are very proud of our commitment to the merchant channel, and we continue to value the building and trust in our relationships with suppliers and customers.



# CONTENTS



PRODUCT	PAGE
GALVANISED FLAT HEAD NAILS	5
GALVANISED TWISTED FLATHEAD NAILS	6
GALVANISED JOLT HEAD NAILS	6
GALVANISED INSULATOR NAILS	6
GALVANISED ROOFING NAILS	6
GALVANISED TWISTED SPRINGHEAD NAILS	6
COACH BOLT - GALVANISED	7
BOLT HEX HEAD - GALVANISED	7
BATTEN SCREWS - GALVANISED	8
COACH SCREWS - GALVANISED	8
WASHERS - GALVANISED	8
WIRE COLLATED COIL NAILS - BRIGHT	9
WIRE COLLATED COIL NAILS - GALVANISED	9
FENCING STAPLES - LOOSE	10



# FASTENING PRODUCTS

Summit Steel & Wire are a key nail supplier to the pallet manufacturing industry. We also offer fastening products which support our reinforcing & fencing product ranges.



## Nail coatings:

**Galvanised** - Galvanised coated nails are designed for increased resistance to corrosion and to give greater durability. Galvanised nails are designed to be used in applications where they are likely to be subject to some moisture in service.

**Bright** - Bright steel nails have a low resistance to corrosion and are designed for use in internal applications or in applications where the nail is not exposed to moisture in service. Ideally the timber moisture content in service should be less than 18%. Typical application are internal framing, fixing ceiling battens or internal partitioning.

## Nail types:

**Flat Head Nails** - Used where the nail head is visible, such as house framing, fencing and landscaping

**Twisted Flathead** - Used for utility sheds, farm buildings and galvanised iron fencing.

**Jolt Head Nails** - A small rounded head driven flush with the timber surface or countersunk below the surface with a nail punch

**Coil Nails** - Are compatible with pneumatic wire coil framing nailers.

**Insulator Nails** - Used for securing electric fence insulators to wooden posts

**Roofing Nails** - For fastening corrugated iron roofing to timber. The neoprene seal provides an effective weatherproof seal and the spiral rolled shank provides greater holding power.

**Twisted Springhead Nails** - Used for utility sheds, farm buildings and galvanised iron fencing.

## GALVANISED FLAT HEAD NAILS

ITEM CODE	NAIL SIZE	WEIGHT	APPROX. COUNT	CARTON QTY
GFC050250	50 x 2.50mm Galv Flat Head	500g	209	5
GFQ050250	50 x 2.50mm Galv Flat Head	2kg	836	8
GFH050250	50 x 2.50mm Galv Flat Head	5kg	2090	4
GFC060280	60 x 2.80mm Galv Flat Head	500g	148	5
GFQ060280	60 x 2.80mm Galv Flat Head	2kg	592	8
GFH060280	60 x 2.80mm Galv Flat Head	5kg	1480	4
GFB060280	60 x 2.80mm Galv Flat Head	15kg	4440	1
GFC075315	75 x 3.15mm Galv Flat Head	500g	100	5
GFQ075315	75 x 3.15mm Galv Flat Head	2kg	400	8
GFH075315	75 x 3.15mm Galv Flat Head	5kg	1000	4
GFB075315	75 x 3.15mm Galv Flat Head	15kg	3000	1
GFH075530	75 x 5.30mm Galv Flat Head	5kg	358	4
GFB075530	75 x 5.30mm Galv Flat Head	15kg	1074	1
GFC090355	90 x 3.55mm Galv Flat Head	500g	67	5
GFH090355	90 x 3.55mm Galv Flat Head	5kg	670	4
GFC100400	100 x 4.00mm Galv Flat Head	500g	49	5
GFQ100400	100 x 4.00mm Galv Flat Head	2kg	196	8
GFH100400	100 x 4.00mm Galv Flat Head	5kg	490	4
GFB100400	100 x 4.00mm Galv Flat Head	15kg	1470	1
GFC125530	125 x 5.30mm Galv Flat Head	500g	22	5
GFQ125530	125 x 5.30mm Galv Flat Head	2kg	88	8
GFH125530	125 x 5.30mm Galv Flat Head	5kg	220	4
GFB12530	125 x 5.30mm Galv Flat Head	15kg	660	1
GFC150600	150 x 6.00mm Galv Flat Head	500g	13	5
GFQ150600	150 x 6.00mm Galv Flat Head	2kg	52	8
GFH150600	150 x 6.00mm Galv Flat Head	5kg	130	4
GFB150600	150 x 6.00mm Galv Flat Head	15kg	390	1





## GALVANISED TWISTED FLATHEAD NAILS

ITEM CODE	DESCRIPTION	WEIGHT	APPROX. COUNT	CARTON QTY
LGTFH7537H	75 x 3.75mm Galv Square Twist F/Head x 5kg	5kg	785	4
LGTFH7537B	75 x 3.7mm Galv Square Twist F/Head x 25kg	25kg	2950	1



## GALVANISED JOLT HEAD NAILS

ITEM CODE	DESCRIPTION	WEIGHT	APPROX. COUNT	CARTON QTY
GJH100400	100 x 4.00mm Galv Jolt Head	500g	48	5
GJC100400	100 x 4.00mm Galv Jolt Head	5kg	480	4



## GALVANISED INSULATOR NAILS

ITEM CODE	DESCRIPTION	WEIGHT	APPROX. COUNT	CARTON QTY
INSULATOR 50mm	50mm Galv Insulator Nail	5kg	1840	4



## GALVANISED ROOFING NAILS

ITEM CODE	DESCRIPTION	WEIGHT	APPROX. COUNT	CARTON QTY
NGVC060N	60 x 4.00mm Roofing Superseal	n/a	50	5
NGVC070N	75 x 4.00mm Roofing Superseal	n/a	50	5
NGVH060N	60 x 4.00mm Roofing Superseal	n/a	300	4
NGVH075N	75 x 4.00mm Roofing Superseal	n/a	300	4



## GALVANISED TWISTED SPRINGHEAD NAILS

ITEM CODE	DESCRIPTION	WEIGHT	APPROX. COUNT	CARTON QTY
GRSH060375	60 x 3.75mm	500g	55	5
GTSH075375	75 x 3.75mm	500g	50	5
GTSH060375	60 x 3.75mm	2.5kg	275	4
GTSH075375	75 x 3.75mm	2.5kg	250	4



## COACH BOLT - GALVANISED

Summit Steel & Wire offer a wide range of galvanised nuts, bolts and washers ideal for use in DIY and rural applications.

ITEM CODE	DESCRIPTION	APPROX. COUNT	NET WEIGHT (KG)
BNWBCG6010	Bolt Coach Galv M10 x 60 BNW HDG	10	0.534
BNWBCG6510	Bolt Coach Galv M10 x 65 BNW HDG	10	0.614
BNWBCG7510	Bolt Coach Galv M10 x 75 BNW HDG	10	0.683
BNWBCG9010	Bolt Coach Galv M10 x 90 BNW HDG	10	0.745
BNWBCG10010	Bolt Coach Galv M10 x 100 BNW HDG	10	0.814
BNWBCG11010	Bolt Coach Galv M10 x 110 BNW HDG	10	0.904
BNWBCG12010	Bolt Coach Galv M10 x 120 BNW HDG	10	0.935
BNWBCG13010	Bolt Coach Galv M10 x 130 BNW HDG	10	0.961
BNWBCG14010	Bolt Coach Galv M10 x 140 BNW HDG	10	0.992
BNWBCG15010	Bolt Coach Galv M10 x 150 BNW HDG	10	1.075
BNWBCG16010	Bolt Coach Galv M10 x 160 BNW HDG	10	1.103
BNWBCG17010	Bolt Coach Galv M10 x 170 BNW HDG	10	1.138
BNWBCG18010	Bolt Coach Galv M10 x 180 BNW HDG	10	1.160



## BOLT HEX HEAD - GALVANISED

ITEM CODE	DESCRIPTION	APPROX. COUNT	NET WEIGHT (KG)
BNWBG7510	M10 M 75mm BNW	10	0.689
BNWBG9010	M10 M 90mm BNW	10	0.778
BNWBG11010	M10 M 110mm BNW	10	0.864
BNWBG12010	M10 M 120mm BNW	10	0.964



## BATTEN SCREWS - GALVANISED

ITEM CODE	DESCRIPTION	APPROX. COUNT
BNWBSG1410050	14G x 100 C3	50
BNWBSG1412550	14G x 125 C3	50



## COACH SCREWS - GALVANISED

ITEM CODE	DESCRIPTION	APPROX. COUNT
BNWCSG7510	M10 x 75 HDG	10
BNWCSG10010	M10 x 100 HDG	10
BNWCSG12010	M10 x 120 HDG	10
BNWCSG15010	M10 x 150 HDG	10



## WASHERS - GALVANISED

ITEM CODE	DESCRIPTION	APPROX. COUNT
BNWWRG2420	M10 x 24 x 3.0mm	20
BNWWRG2450	M10 x 24 x 3.0mm	50
BNWWRG5020	M10 x 50 x 50 x 3.0mm	20





## COIL NAILS

Summit Steel & Wire supply all main types which include, coiled smooth shank nails, coiled ring shank nails and coiled screw nails. These wire-collated coiled nails are compatible with pneumatic wire coil framing nailers. As a reliable supplier, we ensure manufacturing processes and quality assurance processes for accurate collation. So as to ensure proper feeding of fasteners and less downtime. Main application fields include binding of pallets & crates, fencing, garden furniture and external cladding fixation.

### WIRE COLLATED NAILS - BRIGHT

ITEM CODE	SIZE	SHANK TYPE	APPROX. COUNT
CWF21/27BRS12	27 x 2.10mm	Ring Shank	12,000
CWF21/32BRS12	32 x 2.10mm	Ring Shank	12,000
CWF21/38BRS12	38 x 2.10mm	Ring Shank	12,000
CWF25/38BRS9	38 x 2.50mm	Ring Shank	9,000
CWF33/42BRS6	42 X 3.30mm	Ring Shank	6,000
CWF25/45BRS9	45 x 2.50mm	Ring Shank	9,000
CWF25/50BRS9	50 X 2.50mm	Ring Shank	9,000
CWF28/60BRS6	60 X 2.80mm	Ring Shank	6,000
CWF315/60BRS6	60 X 3.15mm	Ring Shank	6,000
CWF28/65BRS6	65 x 2.80mm	Ring Shank	6,000
CWF33/70BRS5	70 x 3.30mm	Ring Shank	5,000
CWF28/75BRS5	75 x 2.80mm	Ring Shank	5,000
CWF31/80BRS5	80 x 3.15mm	Ring Shank	5,000
CWF315/90B45	90 x 3.15mm	Smooth	4,500
CWF31/80B5	80 x 3.15mm	Smooth	5,000
CWJ34/40BRS8	40 x 3.40mm	Jumbo Ring Shank	8,000
CWJ28/65BRS4	65 x 2.8mm	Jumbo Ring Shank	4,000
CWJ35/2.24DUCK	35 x 2.24mm	Jumbo Duck Bill	12,000

### WIRE COLLATED COIL NAILS - GALVANISED

ITEM CODE	SIZE	SHANK TYPE	APPROX. COUNT
CWF30/32GRS6	32 x 3.05mm	Ring Shank	6,000 (MTO)
CWF30/40GRS6	40 x 3.05mm	Ring Shank	6,000 (MTO)
CWF28/65HDGRS6	65 x 2.80mm	Ring Shank	6,000
CWF31/75HDGRS45	75 x 3.15mm	Ring Shank	4,500



FENCING STAPLES - LOOSE

500G Clam.  
Manufactured in New Zealand using Xtralife® Zinc/Aluminum coated wire.

ITEM CODE	DESCRIPTION	APPROX. COUNT
FSTPP30315B	30 x 3.15mm Barbed	130
FSTPP4040B	40 x 4.0mm Barbed	60
FSTPP5040B	50 x 4.0mm Barbed	50
FSTPP1920G	19 x 2.0mm Plain	510
FSTPP2728G	27 x 2.8mm Plain	180
FSTPP3031G	30 x 3.15mm Plain	130
FSTPP4040G	40 x 4.0mm Plain	60
FSTPP5040G	50 x 4.0mm Plain	50



(5 PER CARTON)

2.5KG Pail  
Manufactured in New Zealand using Xtralife® Zinc/Aluminum coated wire.

ITEM CODE	DESCRIPTION	APPROX. COUNT
FSTHPP30315B	30 x 3.15mm Barbed	650
FSTHPP4040B	40 x 4.00mm Barbed	300
FSTHPP5040B	50 x 4.0mm Barbed	250
FSTHPP30315G	30 x 3.15mm Plain	650
FSTHPP4040G	40 x 4.0mm Plain	300
FSTHPP5040G	50 x 4.0mm Plain	250



(6 PER CARTON)



PLAIN



BARBED



## 5KG Pail

Manufactured in New Zealand using Xtralife® Zinc/Aluminum coated wire.

ITEM CODE	DESCRIPTION	APPROX. COUNT
FSTHP2728B	27 x 2.8mm Barbed	1,800
FSTHP30315B	30 x 3.15mm Barbed	1,300
FSTHP4040B	40 x 4.0mm Barbed	600
FSTHP5040B	50 x 4.0mm Barbed	500
FSTHP2728G	27 x 2.8mm Plain	1,800
FSTHP30315G	30 x 3.15mm Plain	1,300
FSTHP4040G	40 x 4.0mm Plain	600
FSTHP5040G	50 x 4.0mm Plain	500



**(4 PER CARTON)**

## 20KG Pail

Manufactured in New Zealand using Xtralife® Zinc/Aluminum coated wire.

ITEM CODE	DESCRIPTION	APPROX. COUNT
FSTP2728B	27 x 2.8mm Barbed	7,200
FSTP30315B	30 x 3.15mm Barbed	5,200
FSTP4040B	40 x 4.0mm Barbed	2,400
FSTP5040B	50 x 4.0mm Barbed	2,000
FSTP2728G	27 x 2.8mm Plain	7,200
FSTP30315G	30 x 3.15mm Plain	5,200
FSTP4040G	40 x 4.0mm Plain	2,400
FSTP5040G	50 x 4.0mm Plain	2,000



## Hot Dipped Galvanised 20KG Pail

ITEM CODE	DESCRIPTION	APPROX. COUNT
30mm HDGALVBARB	30 x 3.15mm Barbed HDG	2,960
50mm HDGALVBARB	50 x 4.0mm Barbed HDG	1,840
30mm HDGALV GSC	30 x 3.15mm Plain HDG	3,020
50mm HDGALV GSC	50 x 4.0mm Plain HDG	1,960

**(1 PER CARTON)**



**P** +64 (09) 271 1627

**W** [summitsteel.co.nz](http://summitsteel.co.nz)

Details in this catalogue are subject to change, updated Sept2020. For the latest version, refer to our website, [summitsteel.co.nz](http://summitsteel.co.nz)

